

Regional Energy Demand Responses to Climate Change: Methodology and Application to the Commonwealth of Massachusetts

Anthony D. Amato¹, Matthias Ruth¹, Paul Kirshen², James Horwitz³

1 Environmental Policy Program, School of Public Affairs, University of Maryland, 3139 Van Munching Hall, College Park, MD 20742, USA

2 Department of Civil and Environmental Engineering, Tufts University, Anderson Hall, Medford, MA 02155, USA

3 Climatological Database Consultant, Binary Systems Software, Newton, MA 02465, USA

Abstract:

While the majority of climate impact assessments have concentrated on contributions of the energy sector to climate change, few have explored the reverse – implications of climate change on the energy sector. The results of such an exploration will fundamentally depend on region-specific climatic variables, infrastructure, socioeconomic, and energy use profiles.

The purpose of our analysis is to explore regional energy demand responses to climate change. Specifically, we focus on climate sensitive energy demand by the residential and commercial sectors in the Commonwealth of Massachusetts. The assessment employs a two step estimation and modeling procedure. The first step evaluates the historic climate sensitivity of residential and commercial demand for electricity and heating fuels, using a degree-day methodology. We find that when controlling for socioeconomic factors, degree-day variables have significant explanatory power in describing historic changes in residential and commercial energy demands. In the second step, we assess potential future energy demand responses to scenarios of climate change using dynamic modeling. Model results are based on alternative climate scenarios that were specifically derived for the region on the basis of local climatological data, coupled with regional information from available global climate models. We find notable changes with respect to overall energy consumption by, and energy mix of the residential and commercial sectors in the region. On the basis of our findings we identify effective response strategies to climate change for the energy sector.

Keywords:

Climate change, global warming, adaptation, regional analysis, energy demand, energy forecasting, energy policy, climate change policy

Acknowledgments:

The research described in this article has been funded in part by the United States Environmental Protection Agency through grant number R827450-0, but has not been subjected to the Agency's peer and policy review and does not, therefore, necessarily reflect the views of the Agency. No endorsements should be inferred.

1. Introduction

Consensus has yet to be established in the research community as to whether the effects of climate change on a country's energy demand will be "perceptible but modest" {p.376} (IPCC 1996a) or "profound" {p.11-1} (UNEP 1998). Nevertheless, as the IPCC's Third Assessment Report notes "{o}nly a handful of studies since the SAR (Second Assessment Report, 1996) have looked at the effects of climate change on overall energy demand" {7.3.1} (IPCC 2001a). The present research provides an initial step towards understanding the potential impacts of climate change on the energy sector and identifying effective adaptation policies by assessing the sensitivity of demand to climatic variables in the Commonwealth of Massachusetts. The study is part of a larger assessment of "Climate's Long-term Impacts on Metro Boston" (CLIMB) which explores potential impacts on a variety of local infrastructure systems and services, including, among others, energy, transportation, communication, coastal and riverine flooding, water quality and supply, and public health (Ruth and Kirshen 2001).

The study employs a two-step procedure to assess energy demand responses to climate change. The first step quantifies the historic sensitivity of monthly residential and commercial energy demand to climatic variables controlling for energy prices, socioeconomic factors, and hours of daylight. We then use, in step two, the sensitivities to estimate energy demand responses to climate change scenarios. The outline of this paper closely follows these two steps. The next section provides background on the sensitivity of energy demand to climate and climate change. Sections 3 and 4 address, respectively, the data and methodology used in our study. Section 5 presents empirical results of historic demand sensitivities and Section 6 the modeling results of potential demand responses to various future climate scenarios. The paper closes with a policy discussion and set of recommendations.

2. Energy Demand Sensitivity to Climate and Climate Change

Much of society's use of energy is to satisfy heating and cooling preferences. In the United States (US), residential households devote 58% (EIA 1999), commercial buildings 40% (EIA 1995), and industrial facilities 6% (EIA 2001) of energy consumption to space-conditioning requirements, not including water heating. As these

sectors account for 20, 16, and 38% of total US end-use energy demand, respectively, roughly 22% of all end-use energy is directly utilized for space-conditioning purposes. Such a large share of energy devoted to heating and cooling suggests climatic change may have real and measurable effects on energy consumption and, subsequently, emissions from the combustion of fossil fuels. Clearly, while emphasis has been placed on the influence of energy consumption in altering climate “it is equally important to realize that climate variability and climatic change can itself impact both energy supply and demand” {p.313}(Sailor 1997).

The link between climatic variables and energy use has been widely documented and utilized to explain energy consumption and to assist energy suppliers with short-term planning (Quayle and Diaz 1979; Le Comte and Warren 1981; Warren and LeDuc 1981; Downton, Stewart et al. 1988; Badri 1992; Lehman 1994; Lam 1998; Yan 1998; Morris 1999; Pardo, Meneu et al. 2002). However, to date few analyses address the longer-term implications of climate change for energy use patterns and investment decisions. The results of the few studies that have examined the effects of climate change on the energy sector suggest, in general, noticeable impacts on energy demand, capital requirements or expenditures. Linder’s national assessment of climate change impacts on the electricity sector finds that between 2010 and 2055 climate change could increase capacity addition requirements by 14-23% relative to non-climate change scenarios, requiring investments of \$200-300 billion (\$1990) (Linder 1990). In a national assessment of Israel, Segal et al. estimate an increase in temperature of 4°C is associated with a 10% increase in average summer peak loads (Segal, Shafir et al. 1992). In Greece, a 1°C temperature increase is projected to decrease energy consumption for heating by 10% and increase energy used for cooling by 28%, assuming a business-as-usual scenario (Cartalis, Synodinou et al. 2001). A study examining potential changes in US commercial energy use due to climate change finds a 4°C increase in average annual temperature results in a 0-5% reduction in total energy use by the commercial sector in 2030 after accounting for change in the building stock (Belzer, Scott et al. 1996). Rosenthal et al. estimate that a 1°C warming in the US would reduce energy expenditures by \$5.5 billion and primary energy use by 0.70% in 2010 relative to a non-warming scenario (Rosenthal, Gruenspecht et al. 1995). In contrast, a study examining the impacts of climate change on total US energy use finds

a 2°C increase in average temperature would increase energy expenditures by \$6 billion in 2060 (Morrison and Mendelsohn 1998).

The majority of studies examining the consequences of climate change for the energy sector typically quantify the impacts at a relatively coarse spatial resolution. As a consequence, they capture only an average response for a large geographic area. However, average responses have little value in guiding place-specific adaptation response (Wilbanks and Kates 1999) and may result in the prescription of inappropriate policy recommendations. Therefore, if the objective of a study is not only to quantify impacts but also identify policy solutions it must be conducted at a scale where, as the IPCC notes, “the impacts of climate change are felt and responses are implemented” (p.25)(IPCC 2001a).

2.1 Regional Energy Demand Sensitivities

We argue that for policy analyses, energy demand sensitivities to climate and climate change should be performed at the regional scale for a number of reasons. First, global climate change is anticipated to have geographically distinct impacts. For example, global climate models predict that the Northeast region of the US will experience among the lowest rates of warming relative to other regions of the country (Barron 2002). As a consequence, analyses that apply a uniform temperature increase over entire continents or nations may miss important geographic impacts on energy use. The ability to capture and interpret geographical variations in climate change impacts on energy systems is particularly important for the US due to its large geographic extent and heterogeneous climate.

A second justification for carrying out a regional assessment lies in the regional differences of energy infrastructures (Boustead and Yaros 1994). Regional energy systems differ in terms of energy sources, efficiencies and characteristics of supply and conversion infrastructure, age of transmission and distribution systems, end use technologies, and characteristics of end users. In part, structural differences between regional energy systems have arisen as the built end use infrastructure and housing stock have evolved to service a unique mix of heating and cooling requirements under relatively stationary historic regional climate regimes (Pressman 1995). To illustrate the

point, apartment buildings in metropolitan Boston are commonly constructed of heat-retaining red brick and few offer central air-conditioning. Similarly, in New England only 8% of households have central air-conditioning units whereas the average is 47% nationwide (EIA 1999).

A third justification for energy demand sensitivity analysis to be carried out at regional scales is that residential, commercial, and industrial sectors exhibit distinct demand sensitivities to climate. Since sectoral compositions vary across regions, the structure of a region's economy significantly influences the sensitivity of regional energy demand to climate (Lakshmanan and Anderson 1980; Sailor and Munoz 1997).

Several empirical studies support these arguments for regional assessments of climate impacts on the energy sector. For example, in a state-level analysis of residential and commercial electricity Sailor observes significantly different variation in sectoral demand sensitivities between states (Sailor 2001). He finds a temperature increase of 2°C is associated with an 11.6% *increase* in residential per capita electricity use in Florida, but a 7.2% *decrease* in Washington. Even in neighboring states, such as Florida and Louisiana, residential and commercial demand sensitivities are noticeably different. Similarly, Sailor and colleagues estimate the sensitivity of state-level electricity and natural gas consumption and find considerable variation (Sailor and Munoz 1997; Sailor, Rosen et al. 1998). Warren and LeDuc statistically estimate natural gas consumption to prices and heating degree-days in a nine-region model of the US and find noticeable regional differences (Warren and LeDuc 1981). Scott et al. use a building energy simulation model to assess the impacts of climate change on commercial building energy demand in four US cities (Seattle, Minneapolis, Phoenix, and Shreveport) (Scott, Wrench et al. 1994). Each city was found to have a unique demand response to climatic changes with, for instance, a 7°F increase in daily temperature increasing cooling energy use 36.6% in Phoenix and 93.3% in Seattle.

2.2 The Massachusetts Energy Sector

This analysis examines energy demand sensitivities to climatic variables for Massachusetts. The implications of climate change for the Massachusetts' energy sector may be particularly noteworthy and as a consequence important for energy planners to

recognize early for a least two reasons. First, compared to the national average, Massachusetts has a large share of energy consumed by end users whose demand is relatively weather-sensitive such as residential and commercial end users. In fact, in 1999 Massachusetts' residential and commercial sectors represented 73% of the total non-mobile end use energy, whereas for the nation as a whole these sectors accounted for only 49%. Thus, a changing climate may alter energy demand patterns in Massachusetts significantly differently from those in other states or the nation as a whole. Second, Massachusetts has a high dependence on a few sources of energy. Consequently, understanding future energy demand dynamics is especially critical for energy planners.

3. Data Sources

Our analysis uses monthly energy consumption and degree-day data. Time-series data on a monthly interval may produce more robust estimates of the energy-climate relationship than annual time-series data since there are more observations and variability between observations. Additionally, the use of monthly data allows for the assessment of non-uniform seasonal climatic changes, such as the more pronounced warming during the winter season than in other seasons of the year for higher latitude regions, as predicted by global climate models (Greco, Moss et al. 1994). As a consequence, analyses that apply a uniform temperature increase over the entire year may miss important seasonal impacts on energy use. The following sections describe the data used in our energy demand sensitivity analysis.

3.1 Energy Data

The Massachusetts energy data is from the U.S. Energy Information Administration (EIA). Monthly sales and price of electricity to residential and commercial industrial end users are from the *Electric Power Monthly* (EIA, various years). The electricity sales data span from January 1977 to December 2001 while monthly electricity price data is limited to the January 1990 to December 2001 period (Figure 1). The overall upward trends for both the residential and commercial sectors' electricity use are due to changes in the size of the local population combined with changes in household sizes, building stock and increased proliferation of electric heating

and air-conditioning, as well as increases in overall economic activity in the region. Prices of electricity demonstrate intra-annual oscillation but, in general, no inter-annual trend. To adjust for inflation the electricity price data is deflated with the Bureau of Labor Statistics' consumer price index for electricity in the New England region (BLS 2003, Series ID: CUURA103SEHF01).

Monthly natural gas sales to residential and commercial end users are from the *Natural Gas Monthly* (EIA, various years). Natural gas sales and price data for the residential and commercial sectors span from January 1984 to December 2001 and are shown in Figure 2. Monthly sales of heating oil (distillate fuel oil No. 2) to all end users are published in the *Petroleum Marketing Monthly* (EIA, various years). Because sales to end use sector are not available and the majority of heating oil is consumed by the residential sector, we assume that all heating fuel sales are to residential end users. The heating oil sales and price data cover the January 1983 to December 2001 period (see Figure 3). The prices of both natural gas and heating oil are adjusted for inflation using the Bureau of Labor Statistics' consumer price index for fuels in the New England region (BLS 2003, Series ID : CUURA103SAH21).

3.2 Socio-economic Data

Annual population estimates for the Commonwealth of Massachusetts are from the Census Bureau (Census 2001). Massachusetts' employment data are from the Bureau of Economic Analysis (2001). Commercial employment data were disaggregated from the overall Massachusetts' employment data based on commercial enterprises that compose commercial energy use as defined in the *State Energy Report 1999* (EIA 2001). To coincide with the time-step of the monthly energy data the annual population and commercial employment data are held constant throughout each month of the year.

3.3 Climate Data

The historic climate data consist of daily and monthly average temperature for Logan Airport in Boston generated by the National Weather Service of the National Oceanic and Atmospheric Administration (NWS NOAA 2001). The temperature in Boston is used as a proxy for temperature in the entire state of Massachusetts. From that

data we derive annual and monthly heating degree-days (HDD) and cooling degree-days (CDD) for numerous base temperatures to coincide with the time-step at which our energy data is reported. Each degree deviation from a predefined balance point temperature is counted as a degree-day. For example, if a balance point temperature of 65°F is chosen and the day's average temperature is 70°F this would result in 5 cooling degree-days for that day. Cooling and heating degree-days can be accumulated over time to give monthly or annual degree-day totals.

In addition to the climatological variables, we calculated hours of daylight in each month of the year to infer energy use for lighting needs and thus to reduce bias in the econometric estimates of demand sensitivity to temperature variables. The length of daylight effect may be especially pronounced in higher latitude regions where winter darkness sets in at 4 in the afternoon. We use the hours of daylight on the 15th day of each month, calculated as the time elapsing between sunset and sunrise, as a proxy for the number of daylight hours per month in Boston (NOAA 2003).

The historical weather data was used as the basis for regional forecasts of weather conditions. To generate future weather patterns that are consistent with past patterns, we applied a moving block bootstrapping [Vogel, 1996 #87; Harmel, 2002 #85]. This is a nonparametric statistical method that maintains probability relationships of time series values both within years and over years and consists of sampling with replacement from the existing time series of annual climate events until a time series of desired length is obtained. The technique retains the region's non-normal temperature distribution (Figure 4). To represent a range of possible future climate conditions, 100 bootstrapped data series have been generated from historical data. Each of these alternative climate runs extends from the year 2001 until 2100 and represents a base case assumption of no climate change.

To model time series of climate change scenarios, trends of climate changes are applied to the set of bootstrapped time series. These trends have been derived from regional outputs of two major climate models, the Canadian Centre for Modeling and Analysis's Canadian Global Coupled Model (CCC model) and the Hadley Model. By bootstrapping local weather data and superimposing trends from more aggregate global climate models, we have created a set of time series data for potential future weather

conditions that are consistent with past patterns *and* global warming trends. This set of time series data is used in the second step of our analysis to simulate potential impacts of climate change on temperature-related energy demand in metropolitan Boston. A comparison of model results against the base case then helps discern climate-induced changes in energy demand in the region.

Monthly degree-days are derived from the projections of future daily temperatures (see Figure 5). An appreciable increase in cooling-degree days (for a base temperature of 60°F) occurs in the summer with, for instance, July totals increasing under the assumptions of the Canadian Climate Centre model from the historic average of 428 to 436 in the 2010 scenario, 461 in the 2020 scenario, and 538 in the 2030 scenario. The annual cooling degree-day changes relative to the historic 1960-2000 average represent increases of 4.2%, 12.1% and 24.1%, respectively, under the assumptions of the Canadian Climate Centre model. During the winter months heating degree-day totals (for a base temperature of 60°F) are projected to decrease. For instance, January heating degree-days are projected to decrease from the historic average of 951 to 885 in 2010, 859 in 2020, and 840 in 2030. Annually, heating degree-day decreases of 2.2%, 8.7% and 11.5%, respectively, relative to the historic 1960-2000 average are projected.

4. Methodology

We assess potential energy demand responses to climatic change in two steps. First, we use monthly time-series data to quantify the historic sensitivity of end use energy demand to climatic variables while controlling for socioeconomic factors such as population size and energy prices as well as hours of daylight. We independently estimate Massachusetts' residential and commercial energy demand sensitivities to climatic variables because potentially different energy use-temperature relations exist between economic sectors (Sailor and Munoz 1997; Sailor 2001). Industrial energy demand is not estimated since previous investigations (Elkhafif 1996; Sailor and Munoz 1997) and our own findings indicate that it is non-weather sensitive.

Furthermore, for each sector the demand for electricity and heating fuels is separately estimated. We assume the separation of energy forms used predominantly for heating (i.e. natural gas, fuel oil) and those for cooling (i.e. electricity) is important

because climate change is anticipated to have unique impacts on the use of each form of energy and, subsequently, on the different energy delivery systems. Therefore, while analyses focusing on total energy use may find only negligible changes in energy use or expenditure given the potential for changes in cooling and heating energy to offset one another, we believe they under-appreciate the large capital costs associated with cooling energy system expansion and heating energy system contraction.

In order to better isolate the influence of climate on energy use from socioeconomic factors we modify the raw electricity and heating fuels data by accounting for consumption on a per capita level in the residential sector and a per employee level in the commercial sector. In the second part of the analysis we estimate future energy consumption under various climate change scenarios by employing the energy sensitivity relationships developed in the first step of our analysis.

4.1 Identification of Balance Point Temperatures

For the demand sensitivity analysis we use a degree-day methodology to estimate energy consumption under various climate scenarios. Degree-days are a common energy accounting practice for forecasting energy demand as a function of either heating degree-days (HDD) or cooling degree-days (CDD). The degree-day methodology presumes a V-shaped temperature-energy consumption relationship as shown in Figure 6 (Jager 1983). At the balance point – temperature at the bottom of the V-shaped temperature-energy consumption function – energy demand is at a minimum since outside climatic conditions produce the desired indoor temperature. As outdoor temperatures deviate above or below the balance point temperature, energy demand increases.

The amount of energy consumed at the balance point temperature is the non-weather sensitive energy load, which is projected to increase with the increasing proliferation of electronic devices. Within the residential sector estimates of future electricity use indicate that 90% of future electricity growth will be due to increases in miscellaneous electricity uses, which are comprised mostly of demand to operate consumer electronics (Sanchez, Koomey et al. 1998). Energy consumed in excess of the energy demanded at the balance point temperature is weather-sensitive energy use. Large

deviations in temperature from the balance point temperature result in large increases in energy consumption.

Energy analyses commonly use a base temperature of 65°F as the balance point threshold in the space-conditioning temperature relationship. However, the actual balance point temperature of an energy system varies depending on the place-specific characteristics of the building stock, non-temperature weather conditions (e.g. humidity, precipitation, wind), and cultural preferences (Nall and Arens 1979; de Dear and Brager 2001). For example, a region with a housing stock comprised of well-insulated homes will have a relatively low balance point temperature. Nonetheless, while place-specific variations in base temperatures exist, most assessments continue to use the 65°F base either because of the ease of data collection since degree-days are commonly calculated with 65°F as the base or to allow for comparison with other assessments performed with the 65°F base. In this assessment we tailor the balance point to the attributes of the Massachusetts energy infrastructure using a quantitative approach such that the functional relationship is optimally specified. Similar to the methodology used by Belzer and colleagues (Belzer, Scott et al. 1996), we iteratively performed regressions with numerous base temperatures and then chose the balance point temperature producing the highest R-square. We find a balance point temperature for electricity of 60°F in the residential sector and 55°F for commercial sector and for fuels used for heating 65°F in the residential sector and 60°F in the commercial sector.

The relationship between monthly sectoral electricity consumption and mean monthly temperatures in Massachusetts is shown in Figure 7. For the residential sector the balance point temperature is approximately 60°F, which is slightly below the 65°F threshold customarily used in energy demand analysis. The lower threshold for Massachusetts is not surprising given the adaptation to the regional climate characteristics by the population. For example, Massachusetts' housing stock is comprised of homes with sufficient insulation for the historically cold winter months. In contrast to our findings for Massachusetts, a previous analysis of state-level energy use finds Florida has a balance point temperature of approximately 70°F (21°C) (Sailor 2001).

Commercial buildings typically have a lower balance point temperature due to higher internal heat gains from office machinery, lighting and occupants. Not surprisingly, as is evident in figure 6 the balance point temperature for the Massachusetts' commercial sector electricity consumption is 55°F, which is significantly below the balance point for the residential sector.

The relationship between monthly sectoral natural gas sales and temperature and monthly residential heating oil sales and temperature are shown in Figures 8 and 9, respectively. Due to the fact that natural gas and heating oil are predominantly used for heating purposes the relationship with temperature is a downward sloping function.

4.2 Energy Demand Sensitivity Analysis

4.2.1 Residential Sector

The regression results for monthly residential per capita electricity consumption in Massachusetts are shown in Table 1. The analysis was restricted to the 1990 to 2001 period due to the data limitation of monthly sectoral electricity prices. Heating and cooling degree-days used in the residential electricity model are derived from a 60°F base temperature.

The constant term and annual trend variable in the regression equation are representative of non-weather sensitive electricity demand or the amount of energy demanded at the balance point temperature. As expected, monthly electricity consumption is inversely and statistically associated with hours of daylight. The coefficient on the heating degree-day variables indicates a 100 unit increase in monthly heating degree-days is associated with a 4.7% increase in monthly per capita electricity consumption. During the period of analysis the sensitivity of electricity use to changes in heating degree-days demonstrated no statistically significant change as suggested by the trend variable for the heating degree-days.

At the beginning of the period of analysis (i.e. 1990) a 100 unit increase in cooling degree-days is associated with a 3.8% increase in per capita electricity consumption. However, the cooling degree-day annual trend variable indicates the sensitivity of electricity consumption to a 100 unit increase cooling degree-days more than doubled over the period of analysis to 8.8% in 2001. Electricity use is inversely

related to electricity prices – a 10% price increase is associated with a 3.3% consumption decrease. The regression model explains 89% of the historic variation in per capita electricity consumption.

Table 2 contains the natural gas and heating oil regression models for the residential sector, which both use degree-days derived from a 65°F temperature base. The natural gas regression indicates natural gas is consumed irrespective of the presence of heating degree-days, which makes sense given one of its primary uses is for cooking purposes. The annual trend variable suggests consumption increases of 1% per year, however, the increase is not statistically significant. The heating degree-day variable indicates natural gas consumption is highly sensitive to changes in heating degree-days with a 100 unit increase in heating degree-days leading to a 17% increase in natural gas consumption. The demand sensitivity of consumption to changes in heating degree-days has been relatively stable over the analysis period as suggested by the heating degree-day annual trend variable. Consumption of natural gas is inversely correlated with the price of natural gas – a 10% price increase is associated with a 4% consumption decrease.

The constant variable indicates heating oil is purchased even in months with no heating degree-days. The annual variable coefficient indicates that heating oil sales have been decreasing with time, which in part could be explained by the increasing use of natural gas or electric heaters in the region. Monthly heating degree-days are positively and significantly correlated with increases in heating oil sales. A 100 unit increase in heating degree-days is associated with a 13% increase in heating oil sales. A small, but statistically significant, increase in the sensitivity of heating oil sales to heating degree-days is present.

The regression models for natural gas and heating oil explain 88% and 92%, respectively, of the historical variation in per capita heating fuels sales. A Breusch-Pagan test of independence between the residuals indicates no correlation.

4.2.2 Commercial Sector

Results of regression analyses for electricity and natural gas use per employee are presented in columns one and two, respectively, of Table 3. Monthly electricity consumption per employee is modeled as a function of a constant, an annual trend and

heating and cooling degree-days derived from a 55°F temperature base. The constant term denotes non-weather sensitive electricity load, which the annual trend variable suggests has no significant increase over time. Commercial electricity consumption is inversely related to hours of daylight. In months with one hour more daylight on the fifteenth day on average consume 1.2% less electricity per capita. The heating degree-day variable implies that a 100 unit increase is associated with a 1.9% increase in per employee monthly electricity consumption whereas a 100 unit increase in monthly cooling degree-days is associated with a 3.4% increase in per employee electricity consumption. Electricity for cooling is used more intensively than that for heating as suggested by the larger coefficient of the cooling degree-day variable. Both the heating degree-day and cooling degree-day annual trend variables indicate no changes in the sensitivity of electricity use to degree-days. Electricity consumption is inversely related to the price of electricity for commercial establishments. An electricity price increase of 10% is associated with a 0.8% consumption decrease. The regression model explains 90% of the historical variation in per employee electricity consumption.

Commercial natural gas sales is positively correlated with heating degree-days. A 100-unit increase in monthly heating degree-days is associated with a 9.7% increase in monthly heating fuel sales per employee. As the heating degree-day annual trend variable indicates, the sensitivity of natural gas sales to changes in heating degree-days has had no statistically significant modification over the period of analysis. No relation is present between the price of natural gas and sales. The regression model explains 75% of the historical variation in per employee heating fuels sales.

5. Projections of Energy Use Under Future Climate Scenarios

In the second part of our analysis we use the regression results for electricity, natural gas and heating oil demand in conjunction with various climate change scenarios. Price parameters are held constant at 2000 levels since future prices are unknown. The projections for residential monthly electricity and heating fuels under the assumption of climate trends from the Canadian Climate Centre model are shown in Figure 10. The results presented in that figure, as well as those of Figures 11 - 19, are averages of model results from 100 bootstrapped climate series. To the right of each figure is a bar chart of

the percent change in monthly energy use attributable to climate change – the difference between the amount projected for a year under a climate change scenarios and the amount for the same year under a non-climate change scenario.

Not all of the increase in the region’s electricity consumption is due to climate change; part is driven by trends in proliferation of electricity using appliances, changes in household structure and size, as well as changes in income in the region. Most of the climate-induced increases in residential electricity consumption will be felt in summer month. These increases far outweigh declines in per capita electricity use in winter. Similar, though more pronounced changes in per capita electricity consumption are observed for Hadley climate scenarios (Figure 11).

Figures 12 and 13 show residential per capita gas consumption for the Canadian Climate Centre and Hadley model trends. Similarly, Figures 14 and 15 show the results for heating oil consumption. Unlike with electricity consumption, overall natural gas and heating oil consumption are expected to decline, and these declines are most pronounced for the expected warmer winter months. Small, though notable discrepancies among the scenarios are due to different temporal patterns in changes of winter temperatures across different climate models. For example, the Hadley model predicts that at least until 2030 Decembers will be getting cooler; the Canadian Climate Centre model suggests some slight cooling during March and November during the first decade of the 21st century, resulting in more heating degree days and in turn higher gas and oil consumption.

Figures 16 and 17 show commercial electricity consumption per employee under the two climate scenarios. Although not as drastic as for the residential sector, the model predominantly suggests increases in consumption, most of which is expected to occur between June and September. Similarly, the changes in natural gas and heating oil demands are not as pronounced as for the residential sector, but in general show similar changes in demand patterns throughout the year (Figures 18 and 19).

Discussion

In this study we have developed a methodology for assessing energy demand responses to climate change at a spatial resolution fine enough to capture place-specific responses. Results indicate that residential and commercial energy demand in

Massachusetts are sensitive to climate and that a range of scenarios of climate change may noticeably decrease winter heating fuel consumption and increase summer electricity demands.

Such increases alone may prove significant enough to warrant changes in peak load capacity planning for the region. However, by using monthly information on changes in climate and energy we may even have under-appreciated the larger increases in peak electric demand, which often occur within narrow daily or hourly time intervals. For instance, Boston normally experiences 12.9 days per year with temperatures exceeding 90°F, and our climate change scenarios indicate that by the end of this century the total number of days in Boston exceeding 90°F will be approximately 50. Such changes in extremely hot days may result in an appreciable increase in high energy consumption days and need for requisite peaking units. Other studies suggest similar findings. For example, an average temperature increase of 3°C (5.4°F) in Toronto was found to be associated with a 7% increase in mean peak electric demand, but a 22% increase in the peak electric load standard deviation (Colombo, Etkin et al. 1999). As a consequence, energy sector decision makers need to incorporate the impacts of climate change into regional energy system expansion plans to ensure adequate supply of energy both throughout the year and for periods of peak demand.

Identifying potential impacts for the region now is important because the energy industry is extremely capital intensive and, therefore, the flexibility of policy induced changes in energy trajectories over the short and medium run is limited (Grubler 1990). In the long run, as the capital stock naturally turns over, building codes may be changed to calibrate the thermal attributes of the building stock to expected future climates (Camilleri, Jaques et al. 2001). However, such changes need to be implemented in the relatively near term or the building stock will become increasingly maladapted to climate. In the near term, policies such as urban shade tree planting and installation of high albedo roofs can begin to modify the thermal characteristics of the Massachusetts energy infrastructure in order to reduce space-conditioning energy use.

References:

- Badri, M. A. (1992). "Analysis of Demand for Electricity in the United States." Energy **17**(7): 725-733.
- Barron, E. (2002). Potential Consequences of Climate Variability and Change for the Northeastern United States. Climate Change Impacts on the United States: The Potential Consequences of Climate Variability and Change. National Assessment Synthesis Team.
- Belzer, D. B., M. J. Scott, et al. (1996). "Climate Change Impacts on U.S. Commercial Building Energy Consumption: An Analysis Using Sample Survey Data." Energy Sources **18**(2): 177-201.
- Boustead, I. and B. R. Yaros (1994). "Electricity Supply Industry in North America." Resources, Conservation and Recycling **12**(3-4): 121-134.
- Camilleri, M., R. Jaques, et al. (2001). "Impacts of Climate Change on Building Performance in New Zealand." Building Research & Information **29**(6): 440-450.
- Cartalis, C., A. Synodinou, et al. (2001). "Modifications in energy demand in urban areas as a result of climate changes: an assessment for the southeast Mediterranean region." Energy Conversion and Management **42**: 1647-1656.
- Colombo, A. F., D. Etkin, et al. (1999). "Climate Variability and the Frequency of Extreme Temperature Events for Nine Sites Across Canada: Implications for Power Usage." Journal of Climate **12**(8): 2490-2502.
- de Dear, R. and G. S. Brager (2001). "The Adaptive Model of Thermal Comfort and Energy Conservation in the Built Environment." International Journal of Biometeorology **45**: 100-108.
- Downton, M. W., T. R. Stewart, et al. (1988). "Estimating Historical Heating and Cooling Needs: Per Capita Degree Days." Journal of Applied Meteorology **27**(1): 84-90.
- EIA (1995). Measuring Energy Efficiency in the United States' Economy: A Beginning. Washington, D.C., U.S. Department of Energy.
- EIA (1999). A Look at Residential Energy Consumption in 1997. Washington, D.C., Energy Information Administration.
- EIA (2001). Annual Energy Review 2000. Washington, D.C., Department of Energy.
- EIA (2001). State Energy Data Report 1999. Washington, D.C., U.S. Department of Energy.
- Elkhafif, M. (1996). "An Iterative Approach for Weather-Correcting Energy Consumption Data." Energy Economics **18**(3): 221-230.
- Greco, S., R. H. Moss, et al. (1994). Climate Scenarios and Socioeconomic Projections for IPCC WG II Assessment. Washington, DC, IPCC - WMO and UNEP: 67.
- Grubler, A. (1990). The Rise and Fall of Infrastructures. Heidelberg, Germany, Physica-Verlag.
- IPCC (1996a). Climate Change 1995: Impacts, Adaptation and Mitigation of Climate Change.
- IPCC (2001a). Climate Change 2001: Impacts, Adaptation and Vulnerability. Geneva, Intergovernmental Panel on Climate Change.

- Jager, J. (1983). Climate and Energy Systems: A Review of their interactions. New York, NY, John Wiley & Sons.
- Lakshmanan, T. R. and W. Anderson (1980). "Residential Energy Demand in the United States: A Regional Econometric Analysis." Regional Science and Urban Economics **10**: 371-386.
- Lam, J. C. (1998). "Climatic and Economic Influences on Residential Electricity Consumption." Energy Conversion and Management **39**(7): 623-629.
- Le Comte, D. M. and H. E. Warren (1981). "Modeling the Impact of Summer Temperatures on National Electricity Consumption." Journal of Applied Meteorology **20**: 1415-1419.
- Lehman, R. L. (1994). "Projecting Monthly Natural Gas Sales for Space Heating Using a Monthly Updated Model and Degree-days from Monthly Outlooks." Journal of Applied Meteorology **33**(1): 96-106.
- Linder, K. P. (1990). National Impacts of Climate Change on Electric Utilities. The Potential Effects of Global Warming on the United States. J. B. Smith and D. A. Tirpak. Washington, D.C., Environmental Protection Agency.
- Morris, M. (1999). The Impact of Temperature Trends on Short-Term Energy Demand, EIA. **2001**.
- Morrison, W. and R. Mendelsohn (1998). The Impacts of Climate Change on Energy: An Aggregate Expenditure Model for the US. Washington, D.C., U.S. Department of Energy.
- Nall, D. and E. Arens (1979). "The Influence of degree-day base temperature on residential building energy prediction." ASHRAE Transactions **85**: 1.
- NOAA (2003). Sunrise/Sunset Calculator, <http://www.srrb.noaa.gov/highlights/sunrise/sunrise.html>.
- Pardo, A., V. Meneu, et al. (2002). "Temperature and Seasonality Influences on the Spanish Electricity Load." Energy Economics **24**(1): 55-70.
- Pressman, N. (1995). Northern Cityscape: Linking Design to Climate. Yellowknife, Canada, Winter Cities Association.
- Quayle, R. G. and H. F. Diaz (1979). "Heating Degree Day Data Applied to Residential Heating Energy Consumption." Journal of Applied Meteorology **19**: 241-246.
- Rosenthal, D. H., H. K. Gruenspecht, et al. (1995). "Effects of Global Warming on Energy Use for Space Heating and Cooling in the United States." The Energy Journal **16**(2).
- Ruth, M. and P. Kirshen (2001). "Integrated Impacts of Climate Change upon Infrastructure Systems and Services in the Boston Metropolitan Area." World Resources Review **13**(1): 106-122.
- Sailor, D. J. (1997). "Climatic Change Feedback to the Energy Sector: Developing Integrated Assessments." World Resource Review **9**(3): 301-316.
- Sailor, D. J. (2001). "Relating residential and commercial sector electricity loads to climate - evaluating state level sensitivities and vulnerabilities." Energy **26**: 645-657.
- Sailor, D. J. and J. R. Munoz (1997). "Sensitivity of electricity and natural gas consumption to climate in the USA - Methodology and results for eight states." Energy **22**(10): 987-998.

- Sailor, D. J., J. N. Rosen, et al. (1998). "Natural Gas Consumption and Climate: A Comprehensive Set of Predictive State-level Models for the United States." Energy **23**(2): 91-103.
- Sanchez, M. C., J. G. Koomey, et al. (1998). "Miscellaneous electricity use in US homes: Historic decomposition and future trends." Energy Policy **26**(8): 585-593.
- Scott, M. J., L. E. Wrench, et al. (1994). "Effects of Climate Change on Commercial Building Energy Demand." Energy Sources **16**: 317-332.
- Segal, M., H. Shafir, et al. (1992). "Climatic-related Evaluations of the Summer Peak-Hours' Electric Load in Israel." Journal of Applied Meteorology **31**(12): 1492-1498.
- UNEP (1998). Handbook on Methods for Climate Change Impact Assessment and Adaptation Strategies, United Nations Environmental Programme.
- Warren, H. E. and S. K. LeDuc (1981). "Impact of Climate on Energy Sector in Economic Analysis." Journal of Applied Meteorology **20**: 1431-1439.
- Wilbanks, T. J. and R. W. Kates (1999). "Global Change in Local Places: How Scale Matters." Climatic Change **43**: 601-628.
- Yan, Y. Y. (1998). "Climate and Residential Electricity Consumption in Hong Kong." Energy **23**(1): 17-20.

Figure 1. Massachusetts' Residential and Commercial Monthly Electricity Consumption and Price, 1977-2001.




Figure 2. Massachusetts' Residential and Commercial Monthly Natural Gas Sales and Price, 1984-2001.




Figure 3. Massachusetts' Monthly Heating Oil Sales and Price, 1983-2001.




Figure 4. Maximum Temperature Frequency in Boston, 1970-1998.




Figure 5. Projected Changes in Degree-days for Boston.




Figure 6. Theoretical Relationship Between Temperature and Energy Use.




Figure 7. Monthly Average Temperature and Sectoral Electricity Consumption, 1977-2001.




Figure 8. Average Monthly Temperature and Sectoral Natural Gas Sales, 1984 - 2001.




Figure 9. Average Monthly Temperature and Heating Fuel Sales, 1983 - 2001.




Table 1. Regression Results for Residential Sector.

	Log monthly electricity per capita (kWh / month)
Constant	5.971958***
Annual Trend	0.0030124
Hours of Daylight	-0.0101859***
Monthly HDD (Base 60°F)	0.0004722***
Annual Trend HDD (Base 60°F)	-0.00000545
Monthly CDD (Base 60°F)	0.0003818***
Annual Trend CDD (Base 60°F)	0.0000456***
Log Electricity Price	-0.3340608***
R ²	0.8931
Durbin-Watson statistic	1.8561

*Significant at the 10% level **Significant at the 5% level ***Significant at the 1% level

Table 2. Regression Results for Residential Sector.

	Log Natural Gas per capita (cubic ft / month)	Log Heating oil per capita (gallons / day / month)
Constant	7.064334***	4.194367***
Annual Trend	0.0111487	-0.0789409***
Monthly HDD (Base 65°F)	0.0017359***	0.001334***
Annual Trend HDD (Base 65°F)	0.00000884	0.000033***
Log Natural Gas Price	-0.3956136***	
Log Heating Oil Price		0.352137***
R ²	0.8831	0.9223

*Significant at the 10% level **Significant at the 5% level ***Significant at the 1% level

Table 3. Regression Results for Commercial Sectors.

	Log monthly electricity per employee (kWh / employee)	Log monthly natural gas per employee (Cubic feet / employee)
Constant	6.543654***	6.7899***
Annual trend	0.038953	.0081153
Hours of Daylight	-0.012406***	
Monthly HDD (Base 55°F)	0.000195***	
Annual trend HDD (Base 55°F)	-0.00000821	
Monthly CDD (Base 55°F)	0.0003468***	
Annual trend CDD (Base 55°F)	0.0000861	
Monthly HDD (Base 60°F)		0.00097***
Annual Trend HDD (Base 60°F)		0.00000118
Log Electricity Price	-0.0841782**	
Log Natural Gas Price		0.14944
R ²	0.9039	0.7491
Durbin-Watson statistic	2.0088	2.0082

*Significant at the 10% level **Significant at the 5% level ***Significant at the 1% level

Figure 10. Residential Electricity per Capita Under Canadian Climate Centre Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 11. Residential Electricity per Capita Under Hadley Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 12. Residential Natural Gas per Capita Under Candian Climate Centre Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 13. Residential Natural Gas per Capita Under Hadley Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 14. Residential Heating Oil per Capita Under Canadian Climate Centre Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 15. Residential Heating Oil Capita Under Hadley Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 16. Commercial Electricity Use per Employee Under Canadian Climate Centre Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 17. Commercial Electricity Use per Employee Under Hadley Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 18. Commercial Natural Gas Use per Employee Under Canadian Climate Centre Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).




Figure 19. Commercial Natural Gas Use per Employee Under Hadley Climate Scenarios (Results are Averages Across 100 Bootstrapped Climate Scenarios).

